

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : FLOORDRESS T 500

Other means of identification : Not applicable

Recommended use : Carpet or Upholstery cleaner

Restrictions on use : Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.

Product dilution information : 3.0 % - 20.0 %

Company : ECOLAB VIETNAM CO., LTD.
 Room 23.02B, 23rd Floor, Tower B, Viettel Building, 285 Cach Mang Thang Tam Street, Ward 12, District 10, Ho Chi Minh City, Vietnam
 TEL: +84 28 3528 5100
 FAX: +84 28 3528 5101

Emergency telephone : +(84) 24 4458 1938

Issuing date : 07.01.2026

SECTION 2. HAZARDS IDENTIFICATION
GHS Classification
Product AS SOLD

Skin corrosion/irritation : Category 3

Serious eye damage/eye irritation : Category 2B

Skin sensitization : Category 1

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 2

Product AT USE DILUTION

Skin corrosion/irritation : Category 3

Skin sensitization : Category 1

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic hazard : Category 3

GHS label elements
Product AS SOLD

Hazard pictograms :



Signal Word : Warning

Hazard Statements : Causes mild skin irritation.

SAFETY DATA SHEET

FLOORDRESS T 500

May cause an allergic skin reaction.
Causes eye irritation.
Toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
Avoid breathing mist or vapors. Wash skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves.
Response:
IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse. Collect spillage.
Disposal:
Dispose of contents/ container to an approved waste disposal plant.

Product AT USE DILUTION

Hazard pictograms :



Signal Word : Warning

Hazard Statements : Causes mild skin irritation.
May cause an allergic skin reaction.
Harmful to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
Avoid breathing mist or vapors. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves.
Response:
IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse.
Disposal:
Dispose of contents/ container to an approved waste disposal plant.

Product AS SOLD

Other hazards : None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Product AS SOLD

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
Alcoholsulphates	73296-89-6	7 - 10
Isopropanol	67-63-0	1.5 - 3
A mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	0.01 - 0.1

Product AT USE DILUTION

Chemical name	CAS-No.	Concentration (%)
Alcoholsulphates	73296-89-6	1.5 - 2.5
A mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	0.001 - 0.01

SAFETY DATA SHEET

FLOORDRESS T 500

SECTION 4. FIRST AID MEASURES

Product AS SOLD

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.
- If swallowed : Rinse mouth. Get medical attention if symptoms occur.
- If inhaled : Get medical attention if symptoms occur.
- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

Product AT USE DILUTION

- In case of eye contact : Rinse with plenty of water.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.
- If swallowed : Rinse mouth. Get medical attention if symptoms occur.
- If inhaled : Get medical attention if symptoms occur.

SECTION 5. FIRE-FIGHTING MEASURES

Product AS SOLD

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Not flammable or combustible.
- Hazardous combustion products : Decomposition products may include the following materials:
Carbon oxides
Sulfur oxides
- Special protective equipment for fire-fighters : Use personal protective equipment.
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local

SAFETY DATA SHEET

FLOORDRESS T 500

regulations. In the event of fire and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Product AS SOLD

- Personal precautions, protective equipment and emergency procedures : Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.
DEACTIVATION SOLUTION - prepare a fresh solution of 5% sodium bicarbonate and 5% sodium hypochlorite in water (i.e. add 50 grams of sodium bicarbonate per 1 liter of household bleach, seal container then shake well for 1 minute) away from the immediate area of spill. Prepare 10 times the estimated volume of the residual spill. The materials and equipment for preparing solutions should be kept available for use in areas where spills may occur.

Product AT USE DILUTION

- Personal precautions, protective equipment and emergency procedures : Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.
DEACTIVATION SOLUTION - prepare a fresh solution of 5% sodium bicarbonate and 5% sodium hypochlorite in water (i.e. add 50 grams of sodium bicarbonate per 1 liter of household bleach, seal container then shake well for 1 minute) away from the immediate area of spill. Prepare 10 times the estimated volume of the residual spill. The materials and equipment for preparing solutions should be kept available for use in areas where spills may occur.

SECTION 7. HANDLING AND STORAGE

Product AS SOLD

- Advice on safe handling : Avoid contact with skin and eyes. Wash hands thoroughly after handling. Do not get in eyes, on skin, or on clothing. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
- Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Storage temperature : 5 °C to 45 °C

SAFETY DATA SHEET

FLOORDRESS T 500

Product AT USE DILUTION

Advice on safe handling : Wash hands thoroughly after handling. Do not get in eyes, on skin, or on clothing. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product AS SOLD

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Effective exhaust ventilation system Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection : Wear the following personal protective equipment:
Standard glove type.
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

butyl-rubber
Nitrile rubber
Unsupported neoprene

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use.
Wash face, hands and any exposed skin thoroughly after handling.

Product AT USE DILUTION

Engineering measures : Effective exhaust ventilation system Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : Wear the following personal protective equipment:
Standard glove type.
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

butyl-rubber
Nitrile rubber
Unsupported neoprene

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

SAFETY DATA SHEET

FLOORDRESS T 500

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

	Product AS SOLD	Product AT USE DILUTION
Appearance	: liquid	liquid
Color	: clear, light yellow	light yellow
Odor	: Perfumes, fragrances	odorless
pH	: 11.2 - 12.0, (100 %)	9.8 - 10.8
Flash point	: Not applicable	
Odor Threshold	: No data available	
Melting point/freezing point	: No data available	
Initial boiling point and boiling range	: > 100 °C	
Evaporation rate	: No data available	
Flammability (solid, gas)	: Not applicable	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapor pressure	: No data available	
Relative vapor density	: No data available	
Relative density	: 1.01 - 1.02	
Water solubility	: soluble	
Solubility in other solvents	: No data available	
Partition coefficient: n-octanol/water	: No data available	
Autoignition temperature	: No data available	
Thermal decomposition	: No data available	
Viscosity, kinematic	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
Molecular weight	: No data available	
VOC	: No data available	

SECTION 10. STABILITY AND REACTIVITY

Product AS SOLD

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: None known.
Incompatible materials	: Acids

SAFETY DATA SHEET

FLOORDRESS T 500

Hazardous decomposition products : In the event of fire, see Section 5

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Product AS SOLD

Eyes : Causes eye irritation.

Skin : Causes mild skin irritation. May cause allergic skin reaction.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Product AT USE DILUTION

Eyes : Health injuries are not known or expected under normal use.

Skin : Causes mild skin irritation. May cause allergic skin reaction.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Product AS SOLD

Eye contact : Redness, Irritation

Skin contact : Redness, Irritation, slight irritation, Allergic reactions

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Product AT USE DILUTION

Eye contact : No symptoms known or expected.

Skin contact : Redness, Irritation, slight irritation, Allergic reactions

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Toxicity

Product AS SOLD Product

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

SAFETY DATA SHEET

FLOORDRESS T 500

Acute inhalation toxicity	: 4 h Acute toxicity estimate : > 40 mg/l Test atmosphere: vapor
Acute dermal toxicity	: No data available
Skin corrosion/irritation	: No data available
Serious eye damage/eye irritation	: Mild eye irritation
Respiratory or skin sensitization	: May cause sensitization by skin contact.
Carcinogenicity	: No data available
Reproductive effects	: No data available
Germ cell mutagenicity	: No data available
Teratogenicity	: No data available
STOT-single exposure	: No data available
STOT-repeated exposure	: No data available
Aspiration toxicity	: No data available

Components

Acute dermal toxicity	: Isopropanol LD50 Rabbit: 12,870 mg/kg
	A mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) LD50 Rabbit: 87.12 mg/kg

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product AS SOLD

Environmental Effects : Toxic to aquatic life with long lasting effects.

Product AT USE DILUTION

Environmental Effects : Harmful to aquatic life with long lasting effects.

Product AS SOLD

Product

Toxicity to fish	: No data available
Toxicity to daphnia and other aquatic invertebrates	: No data available
Toxicity to algae	: No data available

Components

Toxicity to fish	: Isopropanol 96 h LC50 Fish: 9,640 mg/l
	A mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 96 h LC50 Oncorhynchus mykiss (rainbow trout): 0.19 mg/l

Components

Toxicity to daphnia and other : Isopropanol

SAFETY DATA SHEET

FLOORDRESS T 500

aquatic invertebrates

24 h EC50 Daphnia magna (Water flea): 9,714 mg/l

A mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

48 h EC50 Daphnia magna Straus (Water flea): 0.16 mg/l

Components

Toxicity to algae

: A mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

72 h EC50 Skeletonema costatum (marine diatom): 0.037 mg/l

Persistence and degradability

Readily biodegradable.

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Product AS SOLD

Disposal methods

: Do not contaminate storm water drains, natural waterways or soil with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations

: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Product AT USE DILUTION

Disposal methods

: Do not contaminate storm water drains, natural waterways or soil with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations

: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

SECTION 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport

SAFETY DATA SHEET

FLOODRESS T 500

Not dangerous goods

Sea transport (IMDG/IMO)

Not dangerous goods

SECTION 15. REGULATORY INFORMATION

APPLICABLE REGULATIONS, VIETNAM

Toxic chemicals must have the Sale and purchase of toxic chemicals record for transferring and archive.

Chemical Law no. 06/2007 of the 12th National Assembly, 2nd session dated November 21, 2007
Decree No. 71/2019/ND-CP dated August 30, 2019 of the Government providing for penalties for administrative violations in the field of industrial chemicals and explosives

Decree No. 42/2020/ND-CP of the Government issued on April 8, 2020: Regulating the list of dangerous goods, transporting dangerous goods by road motor vehicles and transporting them dangerous goods on inland waterways

Circular No. 32/2017/TT-BCT dated December 28, 2017 of the Ministry of Industry and Trade detailing and guiding the implementation of a number of articles of the Law on Chemicals and Decree No. 113/2017/ND-CP dated 09 October 2017 of the Government detailing and guiding the implementation of a number of articles of the Law on Chemicals

Circular No. 37/2020/TT-BCT dated November 30, 2020 of the Ministry of Industry and Trade stipulating the list of dangerous goods that must be packed in the process of transporting and transporting dangerous goods by mechanical means of transport. road, rail and inland waterways

National technical regulation on safety in production, trading, use, storage and transportation of dangerous chemicals QCVN 05A:2020/BCT

The ingredients of this product are reported in the following inventories:

United States TSCA Inventory :

All substances listed as active on the TSCA inventory

Canadian Domestic Substances List (DSL) :

This product contains one or several components that are not on the Canadian DSL nor NDSL.

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS) :

not determined

New Zealand Inventory of Chemicals (NZIoC) :

not determined

Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

Korea. Korean Existing Chemicals Inventory (KECI) :

Contains substance(s) not listed on the Korea Existing Chemicals Inventory.

Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances in China (IECSC) :

not determined

Taiwan Chemical Substance Inventory (TCSI) :

not determined

SAFETY DATA SHEET

FLOORDRESS T 500

SECTION 16. OTHER INFORMATION

Issuing date : 07.01.2026
Date of first issue : 23.03.2017
Version : 2.0
Person who prepared the SDS : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.